

Jean Louis MENEGON



Représentant et Conseiller

Région Sud Ouest

Tel : 06 76 08 96 83Email: jlouismenegon@aol.comwww.menegon-metrologie.com

Squares Protractors

4



Inspection square 0368...

PREISSER®



Specification

- With base
- DIN 875
- Accuracy: GG 0
- Supplied in: Cardboard box,
from 400 mm individually packed

Size mm	Cross section mm	kg	Ref. No.	Price €
Special steel:				
• 75x50	15x5	0.10	0368 102	
• 100x70	20x5	0.15	0368 103	
• 150x100	28x6	0.40	0368 104	
• 200x130	32x7	0.70	0368 105	
• 250x165	35x8	1.10	0368 106	
• 300x200	40x8	1.60	0368 107	
• 400x265	45x10	2.70	0368 108	
• 500x330	50x10	4.36	0368 109	
Stainless steel:				
• 75x50	15x5	0.10	0368 202	
• 100x70	20x5	0.15	0368 203	
• 150x100	28x6	0.40	0368 204	
• 200x130	32x7	0.70	0368 205	
• 250x165	35x8	1.10	0368 206	
• 300x200	40x8	1.60	0368 207	
• 400x265	45x10	2.70	0368 208	
• 500x330	50x10	4.36	0368 209	

Inspection square 0369...

PREISSER®



Specification

- Flat type
- DIN 875
- Accuracy: GG 0
- Supplied in: Cardboard box,
from 400 mm individually packed

Size mm	Cross section mm	kg	Ref. No.	Price €
Special steel:				
• 75x50	15x5	0.08	0369 102	
• 100x70	20x5	0.10	0369 103	
• 150x100	28x6	0.25	0369 104	
• 200x130	32x7	0.50	0369 105	
• 250x165	35x8	0.70	0369 106	
• 300x200	40x8	1.15	0369 107	
• 400x265	45x10	1.75	0369 108	
• 500x330	50x10	2.80	0369 109	
Stainless steel:				
• 75x50	15x5	0.08	0369 202	
• 100x70	20x5	0.10	0369 203	
• 150x100	28x6	0.25	0369 204	
• 200x130	32x7	0.50	0369 205	
• 250x165	35x8	0.70	0369 206	
• 300x200	40x8	1.15	0369 207	
• 400x265	45x10	1.18	0369 208	
• 500x330	50x10	2.80	0369 209	

Workshop square 0370...

PREISSER®



Specification

- With base
- DIN 875
- Accuracy: GG 1
- Supplied in: Cardboard box, from 400 mm individually packed

Size mm	Cross section mm	kg	Ref. No.	Price €
Special steel:				
• 75x50	15x5	0.10	0370 102	
• 100x70	20x5	0.15	0370 103	
• 150x100	28x6	0.40	0370 104	
• 200x130	32x7	0.70	0370 105	
• 250x165	35x8	1.10	0370 106	
• 300x200	40x8	1.60	0370 107	
• 400x265	45x10	2.70	0370 108	
• 500x330	50x10	4.36	0370 109	
• 600x400	55x10	4.90	0370 110	
• 750x500	60x12	8.90	0370 111	
• 1000x660	70x14	15.80	0370 112	
Stainless steel:				
• 75x50	15x5	0.10	0370 202	
• 100x70	20x5	0.15	0370 203	
• 150x100	28x6	0.40	0370 204	
• 200x130	32x7	0.70	0370 205	
• 250x165	35x8	1.10	0370 206	
• 300x200	40x8	1.60	0370 207	
• 400x265	45x10	2.70	0370 208	
• 500x330	50x10	4.36	0370 209	
• 600x400	55x10	4.90	0370 210	
• 750x500	60x12	8.90	0370 211	
• 1000x660	70x14	15.80	0370 212	

Workshop square 0371...

PREISSER®



Specification

- Flat type
- DIN 875
- Accuracy: GG 1
- Supplied in: Cardboard box, from 400 mm individually packed

Size mm	Cross section mm	kg	Ref. No.	Price €
Special steel:				
• 75x50	15x5	0.08	0371 102	
• 100x70	20x5	0.10	0371 103	
• 150x100	28x6	0.25	0371 104	
• 200x130	32x7	0.50	0371 105	
• 250x165	35x8	0.70	0371 106	
• 300x200	40x8	1.15	0371 107	
• 400x265	45x10	1.75	0371 108	
• 500x330	50x10	2.80	0371 109	
• 600x400	55x12	3.30	0371 110	
• 750x500	60x12	6.40	0371 111	
• 1000x660	70x14	13.00	0371 112	
Stainless steel:				
• 75x50	15x5	0.08	0371 202	
• 100x70	20x5	0.10	0371 203	
• 150x100	28x6	0.25	0371 204	
• 200x130	32x7	0.50	0371 205	
• 250x165	35x8	0.70	0371 206	
• 300x200	40x8	1.15	0371 207	
• 400x265	45x10	1.18	0371 208	
• 500x330	50x10	2.80	0371 209	
• 600x400	55x12	3.30	0371 210	
• 750x500	60x12	6.40	0371 211	
• 1000x660	70x14	13.00	0371 212	

Workshop square 0372...

PREISSER®



☐	⊗	Size mm	Cross section mm	⚖ kg	Ref. No.	Price €
•		75x50	15x5	0.10	0372 102	
•		100x70	20x5	0.15	0372 103	
•		150x100	25x6	0.30	0372 104	
•		200x130	28x7	0.65	0372 105	
•		250x165	30x7	0.75	0372 106	
•		300x175	32x7	1.58	0372 107	
•		400x200	35x8	1.48	0372 108	
•		500x250	40x8	2.30	0372 109	
•		600x300	40x8	2.70	0372 110	
•		750x375	45x10	5.00	0372 111	
•		1000x500	50x10	7.50	0372 112	
		1500x750	55x12	14.00	0372 113	
		2000x1000	60x12	21.00	0372 114	

Specification

- With base
- Special steel
- DIN 875
- Accuracy: GG 2
- Supplied in: Cardboard box,
from 400 mm individually packed

Workshop square 0373...

PREISSER®



☐	⊗	Size mm	Cross section mm	⚖ kg	Ref. No.	Price €
•		75x50	15x5	0.08	0373 102	
•		100x70	20x5	0.10	0373 103	
•		150x100	25x6	0.24	0373 104	
•		200x130	28x7	0.45	0373 105	
•		250x165	30x7	0.55	0373 106	
•		300x175	32x7	0.80	0373 107	
•		400x200	35x8	1.10	0373 108	
•		500x250	40x8	1.60	0373 109	
•		600x300	40x8	2.00	0373 110	
•		750x375	45x10	3.50	0373 111	
•		1000x500	50x10	6.00	0373 112	
		1500x750	55x12	10.50	0373 113	
		2000x1000	60x12	15.00	0373 114	

Specification

- Flat type
- Special steel
- DIN 875
- Accuracy: GG 2
- Supplied in: Cardboard box,
from 400 mm individually packed

Workshop square 0376...

PREISSER®



☐	✂	Size mm	Stock	Blade	Weight kg	Ref. No.	Price €
•		75x50	14x10	14x3	0.10	0376 102	
•		100x70	16x10	16x3	0.14	0376 103	
•		150x100	20x12	22x3	0.34	0376 104	
•		200x130	24x14	24x3	0.54	0376 105	
		250x165	28x16	28x3	0.85	0376 106	
		300x200	30x18	30x3	1.20	0376 107	

Specification

- With stock and blade
- Special steel
- DIN 875
- Accuracy: GG 1
- Supplied in: Cardboard box

Mitre square, 135° 0378...

PREISSER®



Specification

- Factory standard
- Special steel
- Supplied in: Cardboard box

☐	✂	Size mm	Cross section mm	Weight kg	Ref. No.	Price €
With base:						
		120x80	20x5	0.20	0378 103	
		150x100	20x5	0.30	0378 104	
		200x130	25x5	0.50	0378 105	
Flat type:						
		120x80	20x5	0.15	0378 113	
		150x100	20x5	0.25	0378 114	
		200x130	25x5	0.45	0378 115	

Mitre square, 45° 0379...

PREISSER




☐	⌵	Size mm	Cross section mm	⚖ kg	Ref. No.	Price €
With base:						
		120x80	20x5	0.20	0379 103	
		150x100	20x5	0.30	0379 104	
		200x130	25x5	0.50	0379 105	
Flat type:						
		120x80	20x5	0.14	0379 113	
		150x100	20x5	0.20	0379 114	
		200x130	25x5	0.35	0379 115	

Specification

- Factory standard
- Special steel
- Supplied in: Cardboard box

Centre square 0380...

PREISSER



☐	⌵	Size mm	for shafts to dia.	⚖ kg	Ref. No.	Price €
•		100x70	90	0.15	0380 103	
•		150x130	190	0.45	0380 104	
•		200x150	220	0.58	0380 105	
•		250x160	230	0.69	0380 106	
•		300x180	280	0.76	0380 107	
		400x250	380	2.40	0380 108	
		500x330	530	3.50	0380 109	

Specification

- Factory standard
- With mm graduated scale
- Special satin chromed steel
- Scale matt finished
- Supplied in: Cardboard box,
from 400 mm individually packed

Inspection square, hardened 0385...



Specification

- With base
- DIN 875
- Accuracy: GG 0
- Supplied in: Cardboard box

⏏	⏏	Size mm	Cross section mm	Weight kg	Ref. No.	Price €
Special steel:						
•		50x40	15x4	0.05	0385 102	
•		75x50	15x4	0.08	0385 103	
•		100x70	20x5	0.20	0385 104	
•		150x100	30x6	0.46	0385 105	
•		200x130	30x7	0.75	0385 106	
•		300x200	40x8	1.68	0385 108	
Stainless steel:						
•		50x40	15x4	0.05	0385 202	
•		75x50	15x4	0.08	0385 203	
•		100x70	20x5	0.20	0385 204	
•		150x100	30x6	0.46	0385 205	
•		200x130	30x7	0.75	0385 206	
•		300x200	40x8	1.68	0385 208	

4

Inspection square, hardened 0386...



Specification

- Flat type
- DIN 875
- Accuracy: GG 0
- Supplied in: Cardboard box

⏏	⏏	Size mm	Cross section mm	Weight kg	Ref. No.	Price €
Special steel:						
•		50x40	15x4	0.04	0386 102	
•		75x50	15x4	0.05	0386 103	
•		100x70	20x5	0.11	0386 104	
•		150x100	30x6	0.22	0386 105	
•		200x130	30x7	0.54	0386 106	
•		300x200	40x8	1.12	0386 108	
Stainless steel:						
•		50x40	15x4	0.04	0386 202	
•		75x50	15x4	0.05	0386 203	
•		100x70	20x5	0.11	0386 204	
•		150x100	30x6	0.22	0386 205	
•		200x130	30x7	0.54	0386 206	
•		300x200	40x8	1.12	0386 208	

Jean Louis MENEGON - Votre représentant et Conseiller - Tél. : 06 76 08 96 83

Email: jlouismenegon@aol.com - web: www.menegon-metrologie.com

Knife edge square, hardened 0387...

PREISSER®



☐	✂	Size mm	Stock	Long blade	⚖ kg	Ref. No.	Price €
•		25x20	6x3.5	5x3.5		0387 200	
•		40x28	6x3.5	5.5x3.5		0387 201	

Knife edge square set

Set contains:

- Cutting edge try squares 0387 200 and 0387 201
- Supplied in: Wooden case

☐	✂	⚖ kg	Ref. No.	Price €
•		0.11	0387 204	

Specification

- Flat type
- Stainless steel
- DIN 875
- Accuracy: GG 00
- Try squares 90°
- Shearing knife edge on the inside
- Individually packed

Knife edge square, hardened 0388...

PREISSER®



☐	✂	Size mm	Cross section mm	⚖ kg	Ref. No.	Price €
Special steel:						
•		50x40	14x4.5	0.04	0388 102	
•		75x50	16x4	0.05	0388 103	
•		100x70	20x5	0.10	0388 104	
•		150x100	28x6	0.26	0388 105	
•		200x130	30x7	0.43	0388 106	
•		300x200	40x8	0.95	0388 108	
Stainless steel:						
•		50x40	14x4.5	0.03	0388 202	
•		75x50	16x4	0.05	0388 203	
•		100x70	20x5	0.10	0388 204	
•		150x100	28x6	0.26	0388 205	
•		200x130	30x7	0.43	0388 206	
•		300x200	40x8	0.96	0388 208	
•		500x330	40x10	2.20	0388 210	

Specification

- Flat type
- DIN 875
- Accuracy: GG 00
- Special steel models feature non-glare knife edge
- Supplied in: Cardboard box

Hardened square 0390...



⏏	➤	Size mm	Stock	Blade	⚖ kg	Ref. No.	Price €
Special steel:							
•		50x40	14x10	16x2	0.05	0390 102	
•		75x50	14x10	18x2	0.06	0390 103	
•		100x70	16x10	18x2	0.13	0390 104	
•		150x100	20x12	22x2	0.32	0390 105	
•		200x130	24x14	26x3	0.65	0390 106	
•		300x200	30x18	32x3	1.60	0390 108	
Stainless steel:							
•		50x40	14x10	16x2	0.05	0390 202	
•		75x50	14x10	18x2	0.06	0390 203	
•		100x70	16x10	18x2	0.13	0390 204	
•		150x100	20x12	22x2	0.32	0390 205	
•		200x130	24x14	26x3	0.65	0390 206	
•		300x200	30x18	32x3	1.60	0390 208	

Specification

- With stock and blade
- DIN 875
- Accuracy: GG 0
- Without cutting edge
- Supplied in: Cardboard box

Hardened square 0391...



⏏	➤	Size mm	Stock	Blade	⚖ kg	Ref. No.	Price €
Special steel:							
•		50x40	14x10	16x2	0.05	0391 102	
•		75x50	14x10	18x2	0.06	0391 103	
•		100x70	16x10	18x2	0.13	0391 104	
•		150x100	20x12	22x2	0.32	0391 105	
•		200x130	24x14	26x3	0.65	0391 106	
•		300x200	30x18	32x3	1.60	0391 108	
Stainless steel:							
•		50x40	14x10	16x2	0.05	0391 202	
•		75x50	14x10	18x2	0.06	0391 203	
•		100x70	16x10	18x2	0.13	0391 204	
•		150x100	20x12	22x2	0.32	0391 205	
•		200x130	24x14	26x3	0.65	0391 206	
•		300x200	30x18	32x3	1.60	0391 208	

Specification

- With stock and blade
- DIN 875
- Accuracy: GG 00
- Special steel models feature non-glare knife edge
- Supplied in: Cardboard box

Jean Louis MENEGON - Votre représentant et Conseiller - Tél. : 06 76 08 96 83

Email: jlouismenegon@aol.com - web: www.menegon-metrologie.com

Knife edge set-square, hardened 0394...

PREISSER®



🏠	🔍	📏	Ref. No.	Price €
		kg		
		0.25	0394 101	

Replacement rule

🏠	🔍	📏	Ref. No.	Price €
		kg		
		0.04	0394 104	

Specification

- Reading parts satin chromed
- Sliding knife edge rule 7 x 7 x 100 mm, adjustable to angles up to $\pm 5^\circ$
- Grip: 35 x 13 x 60 mm
- Supplied in: Wooden case

Five-piece inspection square set 0397...

PREISSER®



Set contains:

- Knife edge square 75 x 50 mm
- Knife edge square 40 x 28 mm
- Knife edge square 25 x 20 mm
- Knife edge rule 100 mm
- Gauge block scriber 60 x 9 x 9 mm
- Supplied in: Wooden case

🏠	🔍	📏	Ref. No.	Price €
		kg		
		0.25	0397 101	

Protractor 0410...

PREISSER®



Specification

- Factory standard
- 0 - 180°
- With rivetted hinge
- Special chrome plated steel
- Supplied in: Cardboard box

☐	⏏	Graduated arc dia.	Pointer arm	📏 kg	Ref. No.	Price €
•		80	120	0.06	0410 301	
•		120	150	0.12	0410 302	
•		150	200	0.17	0410 303	
•		200	300	0.35	0410 304	

Protractor 0411...

PREISSER®



Specification

- Factory standard
- 0 - 180°
- Locking screw
- High precision, laser graduation degree scale
- Supplied in: Cardboard box, from 300 mm individually packed

☐	⏏	Graduated arc dia.	Pointer arm	📏 kg	Ref. No.	Price €
Special steel:						
•		80	120	0.06	0411 101	
•		120	150	0.13	0411 102	
•		150	200	0.19	0411 103	
•		200	300	0.34	0411 104	
•		300	500	1.34	0411 105	
•		300	600	1.45	0411 106	
		300	800	1.68	0411 107	
		400	600	1.80	0411 108	
		400	800	2.03	0411 109	
		400	1000	2.26	0411 110	
Special steel, matt chrome plated graduated arc:						
•		80	120	0.06	0411 301	
•		120	150	0.13	0411 302	
•		150	200	0.19	0411 303	
•		200	300	0.34	0411 304	
•		300	500	1.34	0411 305	
•		300	600	1.45	0411 306	
		300	800	1.68	0411 307	
		400	600	1.80	0411 308	
		400	800	2.03	0411 309	
		400	1000	2.26	0411 310	

Protractor 0412...

PREISSER®



Specification

- Factory standard
- 0 - 180°
- With locking screw
- Stainless steel
- High-precision, laser graduated scale
- Supplied in: Cardboard box

□	▷◁	Graduated arc dia.	Pointer arm	kg	Ref. No.	Price €
•		80	120	0.07	0412 201	
•		120	150	0.12	0412 202	
•		150	200	0.18	0412 203	
•		200	300	0.34	0412 204	

Protractor 0413...

PREISSER®



Specification

- Factory standard
- 0 - 180°
- With locking screw
- Special steel
- Chrome plated
- High-precision, laser graduation degree scale
- Graduated from each end
- Supplied in: Cardboard box

□	▷◁	Graduated arc dia.	Pointer arm	kg	Ref. No.	Price €
•		85	150	0.08	0413 301	
•		85x50	150	0.09	0413 302	

Protractor 0415...

PREISSER®



Specification

- Factory standard
- With adjustable stop bar 10° - 170°
- Locking screw
- High-precision, laser graduated degree scale
- Individually packed

🏠	⚙	Graduated arc dia.	Pointer arm	📏 kg	Ref. No.	Price €
Special steel:						
•		100	150	0.12	0415 101	
•		150	300	0.25	0415 102	
		200	400	0.42	0415 103	
		250	500	0.99	0415 104	
		300	600	1.32	0415 105	
Special steel, matt chrome plated graduated arc:						
•		100	150	0.12	0415 301	
•		150	300	0.25	0415 302	
		200	400	0.41	0415 303	
		250	500	0.99	0415 304	
		300	600	1.32	0415 305	

Protractor 0416...

PREISSER®



Specification

- Factory standard
- With two-way adjustable stop
- Bar 10° - 170°
- Locking screw
- Special steel, chrome plated graduated arc
- High-precision, laser graduated degree scale
- Individually packed

🏠	⚙	Graduated arc dia.	Pointer arm	📏 kg	Ref. No.	Price €
•		100	150	0.14	0416 301	
•		150	300	0.35	0416 302	
		200	400	0.60	0416 303	
		250	500	1.29	0416 304	
		300	600	1.80	0416 305	

Jean Louis MENEGON - Votre représentant et Conseiller - Tél. : 06 76 08 96 83

Email: jlouismenegon@aol.com - web: www.menegon-metrologie.com

Universal bevel protractor 0420...

PREISSER



Specification

- Stainless steel
- Factory standard
- Locking screw
- Vernier scale 5 minutes
- Supplied in: Cardboard box

□	▷◁	Segment	Bar mm	kg	Ref. No.	Price €
•		4x90°	150	0.22	0420 201	
•		4x90°	200	0.23	0420 202	
•		4x90°	300	0.25	0420 203	

Accessories for universal protractor gauge 0420...

PREISSER

Magnifying len

□	▷◁	kg	Ref. No.	Price €
•		0.02	0420 121	

Angle stop

□	▷◁	kg	Ref. No.	Price €
•		0.09	0420 122	

Grooved base

□	▷◁	kg	Ref. No.	Price €
•		0.23	0420 124	



Universal bevel protractor with magnifying lense 0422...

PREISSER®

**Specification**

- Parallax-free reading
- Stainless steel
- Reading parts satin chromed
- Hardened beam
- Factory standard
- Locking screw
- Vernier scale 5 minutes
- With fine adjustment
- Supplied in: Wooden case

☐	⏏	Segment	Bar mm	⚖ kg	Ref. No.	Price €
•		4x90°	150	0.40	0422 501	
•		4x90°	200	0.42	0422 502	
•		4x90°	300	0.45	0422 503	
		4x90°	500	0.60	0422 504	

Replacement measuring rule for 0422...+ 0425...

☐	⏏	Bar mm	⚖ kg	Ref. No.	Price €
•		150	0.03	0425 211	
•		200	0.03	0425 212	
•		300	0.03	0425 213	
•		500	0.03	0425 214	

DIGI-MET® universal bevel protractor 0425...

PREISSER®

**Specification**

- Stainless steel
- Factory standard
- Locking screw
- Supplied in: Wooden box

Electronic functions:

- ON/OFF switch
- Accuracy: 1 angular minute or
0.01 angular degree
- Display differential: ± 0.5 angular min.

☐	⏏	Bar mm	⚖ kg	Ref. No.	Price €
		150	0.32	0425 701	
		200	0.34	0425 702	
		300	0.37	0425 703	

Jean Louis MENEGON - Votre représentant et Conseiller - Tél. : 06 76 08 96 83

Email: jlouismenegon@aol.com - web: www.menegon-metrologie.com

Page(s) : 15

Jean Louis MENEGON

Représentant et Conseiller

Région Sud Ouest

Tel : 06 76 08 96 83

Email: jlouismenegon@aol.com

www.menegon-metrologie.com

Visiter le site web :

www.menegon-metrologie.com